

MATERIAL SAFETY DATA SHEET

DEFOAM PELLETS

=====
SECTION I - IDENTIFICATION
=====

COMPANY NAME..... JACAM CHEMICALS, L.L.C.
EMERGENCY PHONE NUMBER... CHEMTREC 800/424-9300
EFFECTIVE DATE..... 08-25-1997, Original issue
REVISED DATE..... Not Applicable (N/A)
PRODUCT IDENTIFIER..... DEFOAM PELLETS
TRADE NAME..... DEFOAM PELLETS
CHEMICAL FAMILY..... PROPRIETARY INFORMATION
CHEMICAL FORMULA..... PROPRIETARY INFORMATION

=====
SECTION II - HAZARDOUS INGREDIENTS
=====

HAZARDOUS INGREDIENTS	HAZARDOUS INGREDIENT PERCENT	TLV (Units)	HAZARDOUS INGREDIENT CAS/NA/UN NUMBERS
TRADE SECRET	**	Not Established	**

**Proprietary Data

=====
SECTION III - PHYSICAL DATA
=====

BOILING POINT..... Not Determined (N/D)
FREEZING POINT..... N/D
VOLATILITY/VOL(%)..... N/D
MELTING POINT..... N/A
VAPOR PRESSURE..... N/D
VAPOR DENSITY (air=1).... N/D
SOLUBILITY IN H2O..... Complete
ODOR AND APPEARANCE..... Odorless/Solid, waxy, light gray pellets
SPECIFIC GRAVITY..... N/A
EVAPORATION RATE..... N/D
PH..... N/D

MATERIAL SAFETY DATA SHEET

DEFOAM PELLETS

=====
SECTION IV - FIRE AND EXPLOSION HAZARD DATA
=====

FLASHPOINT AND METHOD OF DETERMINATION..... None below 392 F

LOWER EXPLOSION LIMIT(% BY VOL)..... N/D
UPPER EXPLOSION LIMIT(% BY VOL)..... N/D

MEANS OF EXTINCTION..... Water fog, foam, Carbon Dioxide, or dry chemical.

FOR FIRE..... Use NIOSH/MSHA-approved self-contained breathing apparatus and full protective clothing. Use a smothering technique to extinguish this type of fire.

=====
SECTION V - HEALTH HAZARD DATA
=====

ODOR THRESHOLD..... N/D

ACUTE OVER EXPOSURE EFFECTS..... SKIN: Mild irritation. May aggravate pre-existing skin conditions.

EYES: Irritation, redness, tearing, blurred vision. May aggravate existing eye conditions. Prolonged contact may cause severe irritation.

INHALATION: May cause irritation to the nose, throat, and respiratory tract. May aggravate pre-existing respiratory conditions.

INGESTION: Irritation of gastrointestinal tract.

MATERIAL SAFETY DATA SHEET

DEFOAM PELLETS

SPECIFIC FIRST AID PROCEDURES.....

SKIN: Immediately remove contaminated clothing and shoes. Wash affected area with plenty of soap and water. If irritation persists, obtain medical attention. Launder clothing and clean shoes before reuse.

EYES: Immediately flush with plenty of water for at least 15 minutes, retracting lids frequently. Obtain immediate medical attention.

INHALATION: Remove to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain immediate medical attention.

INGESTION: If conscious and alert, give no more than 2 glasses water to drink, then induce vomiting by placing finger at back of throat. Keep head below hips to prevent aspiration. Obtain immediate medical attention. Never attempt to give anything by mouth to an unconscious or convulsing person.

=====
SECTION VI - REACTIVITY DATA
=====

CHEMICAL STABILITY..... Stable
CONDITIONS OF REACTIVITY. Heat, sparks, flame, all sources of ignition, and incompatible materials.
INCOMPATIBLE MATERIALS... Oxidizing materials, strong alkalies.
HAZARDOUS DECOMPOSITION PRODUCTS..... Carbon oxides, Silicon Dioxide, Formaldehyde, and possibly other irritating organic oxidation products.
HAZARDOUS POLYMERIZATION. Will not occur
POLYMERIZATION AVOID..... N/A

=====
SECTION VII - SPILL OR LEAK PROCEDURE
=====

LEAK AND SPILL PROCEDURES Recover by sweeping into container for reuse. If contaminated beyond use, sweep into DOT-approved waste containers for disposal.
WASTE DISPOSAL..... Dispose of in accordance with applicable local, state and federal regulations.

MATERIAL SAFETY DATA SHEET

DEFOAM PELLETS

=====
SECTION VIII - SPECIAL PROTECTION
=====

RESPIRATORY PROTECTION... Under ambient temperatures no respiratory protection should be necessary. If product is melted and remains at high temperatures, vapors may be generated which necessitate the use of a suitable NIOSH/MSHA-approved self-contained breathing apparatus.

VENTILATION..... None required at ambient temperatures. At elevated temperatures in a confined area, special ventilation may be required if operating conditions result in release of vapors exceeding PEL/TLV.

PROTECTIVE GLOVES..... Impervious PVC-coated, rubber, or neoprene.

EYE PROTECTION..... None needed at ambient temperatures. If operating conditions result in product melting to liquid, chemical splash goggles with full face shield should be worn.

OTHER PROTECTIVE EQUIPMENT..... Wear suitable protective clothing.

HANDLING PROCEDURES AND EQUIPMENT..... Store in cool, dry area away from heat, direct sun, and incompatible materials. Keep containers tightly closed when not in use. Use only as directed. Avoid personal contact and inhalation of vapors of melted product.

=====
SECTION IX - SPECIAL PRECAUTIONS
=====

HAZARD CLASS..... Not D.O.T. Regulated

DOT SHIPPING NAME..... N/A NON-HAZARDOUS

REPORTABLE QUANTITY (RQ). None

UN NUMBER..... N/A

NA #..... N/A

PACKAGING SIZE..... 30 lb. coolers

MATERIAL SAFETY DATA SHEET

DEFOAM PELLETS

FOOT NOTES

NFPA CLASSIFICATION: HEALTH: 1
FLAMMABILITY: 1
REACTIVITY: 0
SPECIFIC HAZARD: N/A

REFERENCES

----- N O T I C E -----

All information provided in this Material Safety Data Sheet (MSDS) is based upon data obtained from the manufacturer and/or recognized technical sources and is believed to be reliable as of the date hereof. JACAM Chemicals, L.L.C. provides no warranties, either expressed or implied, and assumes no responsibility for the accuracy or completeness. Conditions of use are beyond JACAM's control and therefore users are responsible to verify this data under their own operating conditions to determine whether this product is suitable for their particular circumstances. Users assume all risks of the use, handling, and disposal of this product, or from the publication or use of, or reliance upon, information contained herein. This MSDS relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process. JACAM knows of no medical condition, other than those noted in this MSDS, which are generally recognized as being aggravated by exposure to this product.

* * * END OF MSDS * * *