

READ AND UNDERSTAND MATERIAL SAFETY DATA SHEET BEFORE HANDLING OR DISPOSING
OF PRODUCT

MSDS CODE AND NAME : **DGA DIGLYCOLAMINE[®] AGENT**
DATE ISSUED : **7/1/2004**
DATE PRINTED : **7/1/2004**

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MATERIAL IDENTITY**MSDS CODE AND NAME****DGA DIGLYCOLAMINE[®] AGENT****Chemical Name and/or Family or Description:**

Alkanolamine

COMPANY INFORMATION

Huntsman Petrochemical Corporation
P.O. Box 4980
The Woodlands, TX 77387-4980

TELEPHONE NUMBERS

Transportation Emergency

Company: (409) 727-0831

CHEMTREC: (800) 424-9300

Medical Emergency: (409) 722-9673 (24 Hour)

General MSDS Assistance: (281) 719-6432

Technical Information: (512) 459-6543

2. COMPOSITION AND INFORMATION ON INGREDIENTS

THE CRITERIA FOR LISTING COMPONENTS IN THE COMPOSITION SECTION ARE AS FOLLOWS: CARCINOGENS ARE LISTED WHEN PRESENT AT 0.1 % OR GREATER; COMPONENTS WHICH ARE OTHERWISE HAZARDOUS ACCORDING TO OSHA ARE LISTED WHEN PRESENT AT 1.0 % OR GREATER; NON-HAZARDOUS COMPONENTS ARE LISTED AT 3.0 % OR GREATER. THIS IS NOT INTENDED TO BE COMPLETE COMPOSITIONAL DISCLOSURE. REFER TO SECTION 14 FOR APPLICABLE STATES' RIGHT TO KNOW AND OTHER REGULATORY INFORMATION.

Product and/or Component(s) Carcinogenic According to:OSHA___ IARC___ NTP___ OTHER___ NONE X**Composition:**

Chemical Name	CAS Number	Exposure Limits	Range in %
Ethanol, 2-(2-aminoethoxy)-	929-06-6		100

MSDS CODE AND NAME : **DGA DIGLYCOLAMINE® AGENT**
DATE ISSUED : **7/1/2004**
DATE PRINTED : **7/1/2004**
COMPANY : **HUNTSMAN**

3. HAZARD IDENTIFICATION

EMERGENCY OVERVIEW

Appearance:

Clear liquid

Odor:

Ammonia-like odor

WARNING STATEMENT


DANGER !

CAUSES RESPIRATORY TRACT IRRITATION AND CAN CAUSE DAMAGE
CORROSIVE - CAUSES EYE AND SKIN BURNS
HARMFUL OR FATAL IF SWALLOWED
ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE

**Hazardous Material
Information System
(United States)**

Health	3
Fire	1
Reactivity	0
Personal protection	

**National Fire Protection
Association NFPA
(United States)**



POTENTIAL HEALTH EFFECTS

Primary Route of Exposure

Eye X Skin X Inhalation X Ingestion

Effects of Overexposure

Acute:

Eyes:

Causes irritation, experienced as pain, with excess blinking and tear production, and seen as extreme redness and swelling of the eye and chemical burns of the eye. Severe eye damage may cause blindness.

Skin:

Causes severe irritation with pain, severe excess redness and swelling with chemical burns, blister formation, and possible tissue destruction. Other than the potential skin irritation effects noted above, acute (short term) adverse effects are not expected from brief skin contact; see other effects, below, and Section 11 for information regarding potential long term effects.

Inhalation:

Vapors or mist, especially as generated from heating the material or as from exposure in poorly ventilated areas or confined spaces, are irritating and cause nasal discharge, coughing, and discomfort in nose and throat. Prolonged or repeated overexposure may result in lung damage.

Ingestion:

Causes burning of mouth, throat, and stomach with abdominal and chest pain, nausea, vomiting, diarrhea, thirst, weakness, and collapse. Aspiration may occur during swallowing or vomiting, resulting in lung damage.

Sensitization Properties: This product is not expected to be a human skin sensitizer based on animal data.

Chronic:

Repeated skin contact may cause a persistent irritation or dermatitis. Repeated inhalation may cause lung damage.

Medical Conditions Aggravated by Exposure:

Skin contact may aggravate an existing dermatitis (skin condition). Overexposure to vapor, dust or mist may aggravate existing respiratory conditions, such as asthma, bronchitis, and inflammatory or fibrotic respiratory disease.

MSDS CODE AND NAME : **DGA DIGLYCOLAMINE® AGENT**
DATE ISSUED : **7/1/2004**
DATE PRINTED : **7/1/2004**
COMPANY : **HUNTSMAN**

Other Remarks:

This product contains one or more amines which may produce temporary and reversible hazy or blurred vision. Symptoms disappear when exposure is terminated.

4. FIRST AID MEASURES

Eyes:

Immediately flush eyes with large amounts of running water for at least 15 minutes. Hold eyelids apart while flushing to rinse entire surface of eye and lids with water. Do not attempt to neutralize with chemical agents. Obtain medical attention immediately. Continue flushing for an additional 15 minutes if medical attention is not immediately available.

Skin:

Immediately remove contaminated clothing and shoes. Under a safety shower, flush skin thoroughly with large amounts of running water for at least 15 minutes. Do not attempt to neutralize with chemical agents. Get medical attention immediately. Discard or decontaminate clothing and shoes before reuse.

Ingestion:

If person is conscious and can swallow, immediately give two glasses of water (16 oz.) but do not induce vomiting. This material is corrosive. If vomiting occurs, give fluids again. Have a physician determine if condition of patient will permit induction of vomiting or evacuation of stomach. Do not give anything by mouth to an unconscious or convulsing person.

Inhalation:

If inhaled, remove to fresh air. If not breathing or in respiratory distress, clear person's airway and start artificial respiration. With a physician's advice, give supplemental oxygen using a bag-valve mask or manually triggered oxygen supply.

Other Instructions:

Swallowing of this corrosive material may result in severe ulceration, inflammation, and possible perforation of the upper alimentary tract, with hemorrhage and fluid loss. Aspiration of this product during induced emesis can result in severe lung injury. If evacuation of stomach is necessary, use method least likely to cause aspiration, such as gastric lavage after endotracheal intubation. Contact a Poison Control Center for additional treatment information.

5. FIRE-FIGHTING MEASURES

Ignition Temperature - AIT (degrees C):

Not determined.

Flash Point (degrees C):

123.9 (255 F) (PMCC)

Flammable Limits % (Lower-Upper):

Lower: 2.6
Upper: 11.7

Recommended Fire Extinguishing Agents And Special Procedures:

Use water spray, dry chemical, foam, or carbon dioxide to extinguish flames. Use water spray to cool fire-exposed containers. Water or foam may cause frothing.

Unusual or Explosive Hazards:

None

Special Protective Equipment for Firefighters:

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus. Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues.

MSDS CODE AND NAME : DGA DIGLYCOLAMINE® AGENT
DATE ISSUED : 7/1/2004
DATE PRINTED : 7/1/2004
COMPANY : HUNTSMAN

6. ACCIDENTAL RELEASE MEASURES (Transportation Spills: CHEMTREC (800)424-9300)

Procedures in Case of Accidental Release, Breakage or Leakage:

Ventilate area. Avoid breathing vapor. Wear appropriate personal protective equipment, including appropriate respiratory protection. Contain spill if possible. Wipe up or absorb on suitable material and shovel up. Prevent entry into sewers and waterways. Avoid contact with skin, eyes or clothing.

7. HANDLING AND STORAGE

Precautions to be Taken in

Handling:

Minimum feasible handling temperatures should be maintained. Eye wash and safety shower should be available nearby when this product is handled or used.

Storage:

Periods of exposure to high temperatures should be minimized. Water contamination should be avoided.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective Equipment (Type)

Eye/Face Protection:

Avoid eye contact. Chemical type goggles with face shield must be worn. Do not wear contact lenses.

Skin Protection:

Protective clothing such as coveralls or lab coats must be worn. Launder or dry-clean when soiled. Gloves resistant to chemicals and petroleum distillates required. When handling large quantities, impervious suits, gloves, and rubber boots must be worn.

Remove and dry-clean or launder clothing soaked or soiled with this material before reuse. Dry cleaning of contaminated clothing may be more effective than normal laundering. Inform individuals responsible for cleaning of potential hazards associated with handling contaminated clothing.

Respiratory Protection:

Airborne concentrations should be kept to lowest levels possible. If vapor, mist or dust is generated and the occupational exposure limit of the product, or any component of the product, is exceeded, use appropriate NIOSH or MSHA approved air purifying or air supplied respirator after determining the airborne concentration of the contaminant. Air supplied respirators should always be worn when airborne concentration of the contaminant or oxygen content is unknown.

Ventilation:

Local exhaust ventilation recommended if generating vapor, dust, or mist. If exhaust ventilation is not available or inadequate, use MSHA or NIOSH approved respirator as appropriate.

Exposure Limit for the Total Product:

None established for product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Clear liquid

Odor:

Ammonia-like odor

Boiling Point (degrees C):

221.1 (430 F)

Melting/Freezing Point (degrees C):

MSDS CODE AND NAME : DGA DIGLYCOLAMINE® AGENT
DATE ISSUED : 7/1/2004
DATE PRINTED : 7/1/2004
COMPANY : HUNTSMAN

-12.2 (10 F)

Specific Gravity (water=1):

1.06

pH:

11.8

Vapor Pressure:

<0.01 mmHg at 20 C (68 F)

Viscosity:

7.5 cSt at 51.7 C (125 F)

VOC Content:

99 % by ASTM D 2369

Vapor Density (Air=1):

3.6

Solubility in Water (%):

>10

Other:

None

10. STABILITY AND REACTIVITY

This Material Reacts Violently With:

Air___ Water___ Heat___ Strong Oxidizers___ Others X None of these___

Comments:

This material reacts violently with acids.

Products Evolved When Subjected to Heat or Combustion:

Toxic levels of ammonia, combustion products of nitrogen, carbon monoxide, carbon dioxide, irritating aldehydes and ketones may be formed on burning in a limited air supply.

Hazardous Polymerizations:

DO NOT OCCUR

11. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION (ANIMAL TOXICITY DATA)

Oral:

LD50 2.56 g/kg (rat) slightly toxic

Inhalation:

Not determined.

Dermal:

LD50 > 2.00 g/kg (rabbit) practically non-toxic

IRRITATION INDEX, ESTIMATION OF IRRITATION (SPECIES)

Skin:

(Draize) 8.00 /8.0 (rabbit) corrosive

Eyes:

(Draize) Believed to be > 80.00 - 110.00 /110 (rabbit) extremely irritating

Sensitization:

(Buehler) Negative - skin (guinea pig)

MSDS CODE AND NAME : DGA DIGLYCOLAMINE® AGENT
DATE ISSUED : 7/1/2004
DATE PRINTED : 7/1/2004
COMPANY : HUNTSMAN

Other:

None

12. DISPOSAL CONSIDERATIONS:

Waste Disposal Methods:

This product has been evaluated for RCRA characteristics and does not meet the criteria of a hazardous waste if discarded in its purchased form. Under RCRA, it is the responsibility of the user of the product to determine at the time of disposal, whether the product meets RCRA criteria for hazardous waste. This is because product uses, transformations, mixtures, processes, etc. may render the resulting materials hazardous.

Remarks:

None

13. TRANSPORT INFORMATION

Transportation

DOT:

Proper Shipping Name:

2-(2-aminoethoxy)ethanol

Hazard Class:

8

Identification Number:

UN 3055

Packing Group:

III

Label Required:

Corrosive

IMDG

Proper Shipping Name:

2-(2-aminoethoxy)ethanol

Hazard Class

8

Identification Number

UN 3055

Packing Group

III

Label Required

Corrosive

ICAO

Proper Shipping Name:

2-(2-aminoethoxy)ethanol

Hazard Class

8

Identification Number

UN 3055

Packing Group

MSDS CODE AND NAME : DGA DIGLYCOLAMINE® AGENT
DATE ISSUED : 7/1/2004
DATE PRINTED : 7/1/2004
COMPANY : HUNTSMAN

III

Label Required
Corrosive

TDG

Proper Shipping Name:
2-(2-aminoethoxy)ethanol

Hazard Class:
8

Identification Number:
UN 3055

Label Required:
Corrosive

14. REGULATORY INFORMATION

Federal Regulations:

SARA Title III:

Section 302/304 Extremely Hazardous Substances

Chemical Name	CAS Number	Range in %	TPQ	RQ
None.				

Section 311 Hazardous Categorization:

Acute X Chronic ___ Fire ___ Pressure ___ Reactive ___ N/A ___

Section 313 Toxic Chemical

Chemical Name	CAS Number	Concentration
None.		

CERCLA 102(a)/DOT Hazardous Substances:

Chemical Name	CAS Number	Range in %	RQ
None.			

States Right-to-Know Regulations:

Chemical Name	State Right-to-know
Ethanol, 2-(2-aminoethoxy)-	CT, MA, NJ

California Prop. 65:

The following detectable components of this product are substances, or belong to classes of substances, known to the State of California to cause cancer and/or reproductive toxicity.

Chemical Name	CAS Number
None.	

INTERNATIONAL REGULATIONS:

TSCA Inventory Status:

This product, or its components, are listed on or are exempt from the Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

WHMIS Classification:

Class E: Corrosive

MSDS CODE AND NAME : **DGA DIGLYCOLAMINE® AGENT**
DATE ISSUED : **7/1/2004**
DATE PRINTED : **7/1/2004**
COMPANY : **HUNTSMAN**

Canadian Inventory Status:

This product, or its components, are listed on or are exempt from the Canadian Domestic Substance List (DSL).

EINECS Inventory Status:

This product, or its components, are listed on or are exempt from the European Inventory of Existing Chemical Substances (EINECS) or the European List of Notified Chemical Substances (ELINCS).

Australian Inventory Status:

This product, or its components, are listed on or are exempt from the Australian Inventory of Chemical Substances (AICS).

Japan Inventory Status:

This product, or its components, are listed on or are exempt from the Japan Ministry of International Trade and Industry (MITI) inventory.

15. ENVIRONMENTAL INFORMATION

Aquatic Toxicity:

Not determined.

Mobility:

Not determined.

Persistence and Biodegradability:

Not determined.

Potential to Bioaccumulate:

Not determined.

Remarks:

None

16. OTHER INFORMATION 7/1/2004

None

Date Issued: 7/1/2004.

THE INFORMATION IN THIS DATA SHEET IS PROVIDED INDEPENDENTLY OF ANY SALE OF THE PRODUCT. IT IS PROVIDED FOR THE PURPOSE OF HAZARD COMMUNICATION AS PART OF HUNTSMAN'S PRODUCT SAFETY PROGRAM. IT IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE PRODUCT BY A PROPERLY TRAINED PERSON. YOU ARE ENCOURAGED AND REQUESTED TO ADVISE THOSE WHO MAY COME IN CONTACT WITH SUCH PRODUCTS OF THE INFORMATION CONTAINED HEREIN. THE DATA RELATES ONLY TO THE SPECIFIC PRODUCT DESIGNATED, AND DOES NOT RELATE TO USE OF THE PRODUCT IN COMBINATION WITH ANY OTHER MATERIAL OR USE OF THE PRODUCT IN ANY PROCESS. THE DATA IS NOT INTENDED TO CONSTITUTE PERFORMANCE INFORMATION CONCERNING THE PRODUCT. NO EXPRESS WARRANTY, OR IMPLIED WARRANTY OF MERCHANTABILITY FOR FITNESS FOR A PARTICULAR PURPOSE IS MADE WITH RESPECT TO THE PRODUCT, ITS COMPOSITION, ITS SAFETY OR THE INFORMATION CONTAINED IN THIS DATA SHEET.

TO DETERMINE THE APPLICABILITY OR THE EFFECTS OF ANY LAW OR REGULATION WITH RESPECT TO THE PRODUCT, THE USER SHOULD CONSULT A LEGAL ADVISOR OR THE APPROPRIATE GOVERNMENT AGENCY. HUNTSMAN DOES NOT UNDERTAKE TO FURNISH ADVICE ON SUCH MATTERS.

CURRENT DATA SHEETS ARE AVAILABLE FOR ALL HUNTSMAN PRODUCTS. YOU ARE URGED TO OBTAIN DATA SHEETS FOR ALL HUNTSMAN PRODUCTS YOU BUY, USE OR DISTRIBUTE BY CALLING (281) 719-6432 OR DIRECTING YOUR INQUIRIES TO:

**HUNTSMAN
MANAGER, PRODUCT SAFETY
P.O. BOX 4980
THE WOODLANDS, TX 77387-4980**

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM HUNTSMAN. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET SHOULD BE DIRECTED TO HUNTSMAN, MANAGER, PRODUCT SAFETY AT THE ABOVE ADDRESS.

COPYRIGHT © BY HUNTSMAN CORPORATION. ALL RIGHTS RESERVED.

MSDS CODE AND NAME : **DGA DIGLYCOLAMINE® AGENT**
DATE ISSUED : **7/1/2004**
DATE PRINTED : **7/1/2004**
COMPANY : **HUNTSMAN**
